



REVISION




A	LK	D FRALEY
4/4/2008		ECN-88641
RELEASE FOR PRODUCTION: SHT 1, SEC "A"-A": 2.1q[.083] WAS 2.0q[.081]; SHT 2, LATCH ENGAGING VIEW: 11.67[.459] WAS 11.87[.467]; 2.1q[.085] WAS 2.3q[.093].		
B	JH	D FRALEY
10/3/2008		ECN-98337
UPDATE VIEWS TO NEW BODY DESIGN		
C	JB	D FRALEY
11/13/2008		ECN-100797
SHEET 1, BOM, CHG ERF8-020-05-0-DV-L TO ERF8-023-05-0-DV-L		
D	JB	Z Paden
3/2/2010		ECN-126250
SHT 2, RECOMMENDED PCB LAYOUT: DEL 4.90(TYP), ADD 1.80(TYP), CHG 4.90 TO 5.60, CHG Ø0.83±0.02 TO Ø0.83±0.05, ADD NOTE "TO BE SOLDERED USING PASTE-IN-HOLE TECHNOLOGY"; RECOMMENDED STENCIL LAYOUT: CHG 24.21 TO 24.20, CHG Ø1.58 (2 PLCS) TO Ø2.24 (2 PLCS).		

NOTES:



1. NOT AVAILABLE AS STANDARD.
2. Ⓢ REPRESENTS A CRITICAL DIMENSION.
3. MAXIMUM BURR ALLOWANCE: .038 [.0015].
4. MINIMUM PUSHOUT FORCE: 2.22N [.5LB].
5. PARTS TO BE PACKAGED IN TRAYS.



SECTION "A"-"A"
SCALE 4 : 1



SECTION "B"-"B"
SCALE 4 : 1



DETAIL "C"
SCALE 8 : 1

DATE:	ACCEPTANCE OF DRAWING
COMPANY:	ACCEPTED WITH DEVIATIONS LISTED
CUSTOMER SIGNATURE	
PRINTED NAME	
PHONE No:	
FAX No:	

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS
TOLERANCES ARE:
DECIMALS ANGLES
.X: ±.3[.01]
.XX: ±.13[.005]
.XXX: ±.051[.0020]

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 53322

DO NOT SCALE DRAWING SHEET SCALE: 1:0.333333
PLATING:
CONTACT AREA: .000030 GOLD OVER .000050 NICKEL
REMAINDER: .000200 REF TIN OVER .000050 NICKEL
LATCHES: .000003 GOLD OVER .000050 NICKEL

DESCRIPTION:

ERF8 ASSEMBLY

DWG. NO.






ASP-130368-01

BY: D FRALEY

03/22/2007

SHEET 1 OF 2



ITEM NO.	PART NUMBER	QUANTITY	MATERIAL
1	ERF8-023-05-0-DV-L	1.0000	VECTRA E130i, COLOR: BLACK
2	C-211-05-0-S	46.000	BeCu, 390 HT
3	WT-30-01-F	2.0000	BeCu, #25, 1/2 HT
4	TY-ERF8035-23-5-L	1.0000	BLACK HIPS
5	K-500-300	1.0000	POLYIMIDE FILM (KAPTON)



DETAIL 'G'
SCALE 6 : 1



DETAIL 'H'
SCALE 8 : 1



<p>PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.</p>	 520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322	
	SHEET SCALE: 3:1	DESCRIPTION: ERF8 ASSEMBLY
		DWG. NO. ASP-130368-01
BY: D FRALEY 03/22/2007		SHEET 2 OF 2