

OAL 0.397 [10.08] 0.555 [14.10] 0.714 [18.14]

NOTES:

- 1. © REPRESENTS A CRITICAL DIMENSION.
- 2. MINIMUM PUSHOUT FORCE: 1 LB.
- 3. MAXIMUM PIN ROTATION IN BODY: 2°
- 4. DUE TO THE HIGH AMOUNT OF INSERTION FORCE NEEDED THE -LC OPTION IS NOT COMPATIBLE WITH AUTO PLACEMENT.
- SAMTEC RECOMMENDS MANUAL PLACEMENT FOR ALL ASSEMBLIES WITH THE -LC OPTION. 5. TUBES ARE STANDARD PACKAGING
- 6.ORDERS WILL BE PACKAGED ACCORDING TO THE SAMTEC PACKAGING EFFICIENCY STANDARDS (SPES) FOUND ON WWW.SAMTEC.COM
- 7.ATTACH LABÈL TO EACH REEL

UNLESS OTHERWISE SPECIFIED. DIMENSIONS ARE IN INCHES. TOLERANCES ARE: DECIMALS **ANGLES**

.XX: ±.01 [0.3] .XXX: ±.005 [0.13] 2° .XXXX: ±.0020 [0.051]

PROPRIETARY NOTE THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING REPRODUCTION USE PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOL OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC INC

SHEET SCALE: 2.5:1

DO NOT SCALE DRAWING INSULATOR: LCP, UL 94 VO, COLOR: BLACK TERMINAL: PHOS BRONZE



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FA e-Mail: info@SAMTEC.com FAX: 812-948-5047

2MM EJECTOR HEADER ASSEMBLY


DWG. NO.


EHT-1XX-01-XX-D-XX-XX-XX-XX


BY: PURVIS 02/28/1994 | SHEET 1 OF 3


F:\DWG\MISC\MKTG\EHT-1XX-01-XX-D-XX-XX-XX-XX-MKT.SLDDRW

FIG 1 (EHT-105-01-XX-D SHOWN) (LATCH EHA-01 REMOVED FOR CLARITY)










TUBE

PT-1-24-01-08

PLUG

TP-13





ASP-90341-01-S

FIG 7 PACKAGING VIEWS

OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS DO NOT SCALE DRAWING

PROPRIETARY NOTE THIS DOCUMENT CONTAINS CONFIDENTIAL AND

AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC

REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY

INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR

PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS

WRITTEN CONSENT OF SAMTEC, INC.

--.097 [2.45] REF

LATCH OPEN VIEW

SHEET SCALE: 2:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION

2MM EJECTOR HEADER ASSEMBLY

EHT-1XX-01-XX-D-XX-XX-XX-XX 02/28/1994 | SHEET 3 OF 3 BY: PURVIS

F:\DWG\MISC\MKTG\EHT-1XX-01-XX-D-XX-XX-XX-XX-MKT.SLDDRV

STRAIGHT PT-1-24-16-29 TP-13 RIGHT ANGLE ASP-90341-01-S TP-13 -SM-P-LC, -SM-K-LC, -SM-LC PT-1-24-01-58 TP-13

TABLE 1

STYLE

-SM-P, -SM-K, -SM