






FIG 1: RECOMMENDED PCB LAYOUT FOR -DP OPTION


NOTES:

- 1 BANK = 14 POSITIONS/SIDE FOR -DP OPTION (EVERY 3RD PIN SKIPPED).
2. NOTE DELETED
3. PLATED EDGE MAY BE DIVIDED UP IN BANKS DEPENDING UPON DESIGNED FUNCTION.
4. REVIEW THE "EDGE MOUNT Q1 INTERFACES" ON THE PROCESSING LITERATURE SECTION OF SAMTEC.COM.




E

PROPRIETARY NOTE


THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

**FIG 2: RECOMMENDED PCB LAYOUT FOR -DP-GP OPTION**

SAME AS FIGURE 1 EXCEPT AS SHOWN

**PROPRIETARY NOTE**

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

NOTE:



1. STENCIL TO BE .0060[.152] THICK

.5670[14.402]
6 EQUAL SPACES @ .0945[2.400]
(SEE NOTE 1)

.0315[0.800]


.7875[20.003]

.0945[2.400]



DETAIL 'C'
SCALE 6:1

STENCIL APPLICATION
SCALE 8:1
ALIGNED EDGES AS SHOWN



PCB DETAIL

STENCIL DETAIL

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322