




---

---

## High Speed Characterization Report

HQDP-XXX-XX.X-TTR-STL-5





Mated with:

QSH-020-01-X-D-DP-A

and

QTH-020-01-X-D-DP-A



Description:

**0.50 mm Q Pairs® High Speed Twinax Cable Assembly**

**Series:** HQDP**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Table of Contents

|   |    |
|---|----|
| Cable Assembly Overview .....   | 1  |
| Frequency Domain Data Summary .....                                     | 2  |
| Bandwidth Figures – Differential Insertion Loss.....                    | 2  |
| Time Domain Data Summary .....  | 4  |
| Characterization Details .....  | 5  |
| Differential and Single-Ended Data.....                                 | 5  |
| Cable assembly Signal to Ground Ratio .....                             | 5  |
| Frequency Domain Data.....  | 7  |
| Time Domain Data.....   | 7  |
| Appendix A – Frequency Domain Response Graphs .....                     | 8  |
| Differential Application – Insertion Loss.....                          | 8  |
| Differential Application – Return Loss.....                             | 9  |
| Differential Application – NEXT Configurations .....                    | 11 |
| Differential Application – FEXT Configurations.....                     | 14 |
| Differential Application – Differential to Common Mode Conversion ..... | 17 |
| Appendix B – Time Domain Response Graphs.....                           | 19 |
| Differential Application – Input Pulse .....                            | 19 |
| Differential Application – Cable assembly Impedance.....                | 19 |
| Differential Application – Cable assembly Impedance.....                | 20 |
| Differential Application – Propagation Delay.....                       | 21 |
| Appendix C – Product and Test System Descriptions .....                 | 22 |
| Product Description .....   | 22 |
| Test System Description.....  | 22 |
| PCB-107141-SIG Test Fixtures .....                                      | 22 |
| PCB Fixtures .....  | 24 |
| Appendix D – Test and Measurement Setup.....                            | 25 |
| N5230C Measurement Setup .....  | 25 |
| Test Instruments.....   | 25 |
| Test Cables & Adapters.....   | 25 |
| DSA8200 Measurement Setup .....   | 26 |
| Test Instruments.....   | 26 |
| Test Cables & Adapters.....   | 26 |
| Appendix E - Frequency and Time Domain Measurements .....               | 27 |
| Frequency (S-Parameter) Domain Procedures .....                         | 27 |
| Time Domain Procedures .....  | 28 |
| Propagation Delay (TDT) .....   | 28 |
| Impedance (TDR).....  | 28 |
| Appendix F – Glossary of Terms.....                                     | 29 |

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Cable Assembly Overview

The 0.5 mm (.0197") HQDP Cable Assembly is constructed using 30 AWG, 100 Ω Twinax Ribbon Cable. The cables are terminated by soldering a small transition PCB or termination board at each end. Each termination board has a connector soldered to it. The cable assemblies tested for this report are terminated with a QTH-DP high speed terminal at one end and a QSH-DP high speed socket at the other end.

The cable assembly is wired to facilitate a Pin 1 to Pin 1 mapping between the cable terminations. The HQDP series cable assemblies are available in 20,40 and 60 differential pairs. The data in this report is only applicable to 250 mm,500 mm and 1000 mm length cable assembly.

Each HQDP cable assembly was tested by mating it to a QSH-DP Socket at the first end and a QTH-DP at the second end. The actual part numbers that were tested are shown in Table 1, which also identifies End 1 and End 2 of each assembly. A relative sample picture is shown in Figure1. Two differential pairs, a Long Path and a Short Path, of each assembly type were tested.

| Length | Part Number              | End 1 | End 2 |
|--------|--------------------------|-------|-------|
| 0.25 m | HQDP-020-09.80-TTR-STL-5 | TTR   | STL   |
| 0.5 m  | HQDP-020-19.68-TTR-STL-5 | TTR   | STL   |
| 1 m    | HQDP-020-39.37-TTR-STL-5 | TTR   | STL   |

**Table 1: Sample Description**



**Figure 1: Test Sample**

Series: HQDP

Description: 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Frequency Domain Data Summary

### Bandwidth Figures – Differential Insertion Loss




Figure 2




Figure 3

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 4

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Time Domain Data Summary




Figure 5

Because the same type cable is used in the cable assemblies with different lengths, only the impedance profile of 0.25 m cable assembly is reported.

| Table 2 - Propagation Delay (Cable Assembly) |           |          |          |          |
|--|-----------|----------|----------|----------|
| Driver                                       | Receiver  | 0.25 m   | 0.5 m    | 1 m      |
| TTR_1,3                                      | STL_1,3   | 1.463 ns | 2.657 ns | 5.038 ns |
| TTR_18,20                                    | STL_18,20 | 1.365 ns | 2.563 ns | 4.936 ns |

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Characterization Details

This report presents data that characterizes the signal integrity response of a cable assembly in a controlled printed circuit board (PCB) environment. All efforts are made to reveal typical best-case responses inherent to the system under test (SUT).

In this report, the SUT includes the mating connectors, cable assembly, and footprint effects on a typical multi-layer PCB. PCB effects (trace loss) are de-embedded from test data. Board related effects, such as pad-to-ground capacitance, are included in the data presented in this report.

Additionally, intermediate test signal connections can mask the cable assembly's true performance. Such connection effects are minimized by using high performance test cables and adapters. Where appropriate, calibration and de-embedding routines are also used to reduce residual effects.

## Differential and Single-Ended Data

Most Samtec cable assemblies can be used successfully in both differential and single-ended applications. However, electrical performance will differ depending on the signal drive type. In this report, data is presented for "GSSG" differential drive configuration only.

## Cable assembly Signal to Ground Ratio

Samtec cable assemblies are most often designed for generic applications and can be implemented using various signal and ground pin assignments. In high speed systems, provisions must be made in the interconnect for signal return currents. Such paths are often referred to as "ground". In some cable assemblies, a ground plane or blade, or an outer shield, is used as the signal return, while in others, cable assembly pins are used as signal returns. Various combinations of signal pins, ground blades, and shields can also be utilized. Electrical performance can vary significantly depending upon the number and location of ground pins.

In general, the more pins dedicated to ground, the better electrical performance will be. But dedicating pins to ground reduces signal density of a cable assembly. Therefore, care must be taken when choosing signal/ground ratios in cost or density-sensitive applications.

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

For this cable assembly, the following array configurations are evaluated:

Differential Impedance:

- Long Path (furthest from test fixture)
- Short Path (closest to test fixture)

Differential Crosstalk:

- Across Row: "Xrow": (from one row of terminals to the other row)

See [Appendix C](#) – Product and Test System Descriptions for details

Other configurations can be evaluated upon request. Please contact [sig@samtec.com](mailto:sig@samtec.com) for more information.

In a real system environment, active signals might be located at the outer edges of the signal contacts of concern, as opposed to the ground signals utilized in laboratory testing. For example, in a single-ended system, a pin-out of "SSSS", or four adjacent single ended signals might be encountered as opposed to the "GSG" and "GSSG" configurations tested in the laboratory. Electrical characteristics in such applications could vary slightly from laboratory results. But in most applications, performance can safely be considered equivalent.

#### Signal Edge Speed (Rise Time)

In pulse signaling applications, the perceived performance of the interconnect can vary significantly depending on the edge rate or rise time of the exciting signal. For this report, the fastest rise time used was 30 ps. Generally, this should demonstrate worst-case performance.

In many systems, the signal edge rate will be significantly slower at the cable assembly than at the driver launch point. To estimate interconnect performance at other edge rates, data is provided for several rise times between 30 ps and 100 ps.

Unless otherwise stated, measured rise times were at 20%-80% signal levels.

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

### Frequency Domain Data

Frequency Domain parameters are helpful in evaluating the cable assembly system's signal loss and crosstalk characteristics across a range of sinusoidal frequencies. In this report, parameters presented in the Frequency Domain are Insertion Loss, Return Loss, Near-End and Far-End Crosstalk, and Mode Conversion. Other parameters or formats, such as VSWR or S-Parameters, may be available upon request. Please contact our Signal Integrity Group at [sig@samtec.com](mailto:sig@samtec.com) for more information.

Frequency performance characteristics for the SUT are generated directly from network analyzer measurements.

### Time Domain Data

Time Domain parameters indicate Impedance mismatch versus length and signal propagation time in a pulsed signal environment.

Impedance mismatch versus length is measured by DSA8300 Digital Serial Analyzer. Board related effects, such as pad-to-ground capacitance and trace loss, are included in the data presented in this report. The impedance data is provided in [Appendix B](#) of this report.

The measured S-Parameters from the network analyzer are post-processed using Keysight ADS to obtain the time domain response for signal propagation time. The Time Domain procedure is provided in [Appendix D](#) of this report. Parameters or formats not included in this report may be available upon request. Please contact our Signal Integrity Group at [sig@samtec.com](mailto:sig@samtec.com) for more information.

In this report, propagation delay is defined as the signal propagation time through the cable assembly, mating connectors, and connector footprint. It also includes 5.98 mm of PCB trace on each connector side. Delay is measured at 100 picoseconds signal rise-time. Delay is calculated as the difference in time measured between the 50% amplitude levels of the input and output pulses.

Data for other configurations may be available. Please contact our Signal Integrity Group at [sig@samtec.com](mailto:sig@samtec.com) for further information.

Additional information concerning test conditions and procedures is located in the appendices of this report. Further information may be obtained by contacting our Signal Integrity Group at [sig@samtec.com](mailto:sig@samtec.com).

Series: HQDP

Description: 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Appendix A – Frequency Domain Response Graphs

### Differential Application – Insertion Loss




Figure 6




Figure 7

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 8

## Differential Application – Return Loss




Figure 9

Series: HQDP

Description: 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 10




Figure 11

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Differential Application – NEXT Configurations




Figure 12




Figure 13

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 14




Figure 15

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 16




Figure 17

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Differential Application – FEXT Configurations




Figure 18




Figure 19

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 20




Figure 21

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 22




Figure 23

Series: HQDP

Description: 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Differential Application – Differential to Common Mode Conversion

0.25m: Differential to Common Mode Conversion - SCD21




Figure 24

0.5m: Differential to Common Mode Conversion - SCD21




Figure 25

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options




Figure 26

Series: HQDP

Description: 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Appendix B – Time Domain Response Graphs

### Differential Application – Input Pulse




Figure 27

### Differential Application – Cable assembly Impedance

HQDP-020-09.80-TTR-STL-5




Figure 28

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Differential Application – Cable assembly Impedance

HQDP-020-09.80-TTR-STL-5




Figure 29

HQDP-020-09.80-TTR-STL-5




Figure 30

Series: HQDP

Description: 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Differential Application – Propagation Delay




Figure 31




Figure 32

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Appendix C – Product and Test System Descriptions

### Product Description

Product test samples are 0.5 mm Q Pairs® High Speed Twinax Cable Assemblies. The part numbers are HQDP-020-09.80-TTR-STL-5, HQDP-020-19.68-TTR-STL-5 and HQDP-020-39.37-TTR-STL-5. They mate with QSH-020-01-X-D-DP-A and QTH-020-01-X-D-DP-A. A photo of the mated test article mounted to SI test boards is shown below.

The cable assembly terminations had a particular signal line configuration. The respective signal line numbers are shown in Table 3. There is a total of 10 pairs per row. All adjacent lines are terminated where applicable.

|        |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|--------|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 1      | 3 | 5 | 7 | 9  | 11 | 13 | 15 | 17 | 19 | 21 | 23 | 25 | 27 | 29 | 31 | 33 | 35 | 37 | 39 |
| GROUND |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 2      | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 |

Table 3: Respective signal line numbers as viewed from End 1

### Test System Description

The test fixtures are composed of four-layer FR-4 material with 50Ω signal trace and pad configurations designed for the electrical characterization of Samtec high speed cable assembly products. A PCB mount SMA connector is used to interface the VNA test cables to the test fixtures. Optimization of the SMA launch was performed using full wave simulation tools to minimize reflections. Four test fixtures are specific to HQDP series cable assembly and identified by part numbers PCB-107141-SIG-01A & B; PCB-107141-SIG-02A & B. The Auto Fixture Removal (AFR) calibration structures designed specifically for the HQDP series are located on both the test boards. Displayed on the following pages is the information for the HQDP and AFR calibration structure and directives for the mating HQDP fixtures.

### PCB-107141-SIG Test Fixtures




Figure 33

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

Artwork of the PCB design is shown below.




Figure 34

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## PCB Fixtures

The test fixtures used are as follows:




Figure 35




Figure 36

PCB-107141-SIG-01A – HQDP Cable Test Board 1

PCB-107141-SIG-01B – HQDP Cable Test Board 2

PCB-107141-SIG-02A – HQDP Cable Test Board 3

PCB-107141-SIG-02B – HQDP Cable Test Board 4

The through locate on PCB-107141-SIG-01A and PCB-107141-SIG-02B.

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Appendix D – Test and Measurement Setup

For frequency domain measurements, the test instrument is the Keysight N5230C PNA-L network analyzer. Frequency domain data is extracted from the instrument the VP. Post-processed time domain data and figures are generated using convolution algorithms within Keysight ADS (Advanced Design System). The network analyzer is configured as follows:

Start Frequency – 300 KHz                      Number of points -1601  
Stop Frequency – 20 GHz                      IFBW – 1 KHz

With these settings, the measurement time is approximately 30 seconds.

### N5230C Measurement Setup




Figure 37

### Test Instruments

| <u>QTY</u> | <u>Description</u>  |
|------------|---|
| 1          | Agilent N5230C PNA-L Network Analyzer (300 KHz to 20 GHz) |
| 1          | Agilent N4433A ECAL Module (300 KHz to 20 GHz)            |

### Test Cables & Adapters

| <u>QTY</u> | <u>Description</u>               |
|------------|----------------------------------|
| 4          | Gore OWD01D02039-4 (DC-26.5 GHz) |

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

For impedance measurements, the test instrument is the Tektronix DSA8200 Digital Serial Analyzer mainframe and 80E04 sampling module. The impedance data and profiles are obtained directly from the instrument. The Digital Analyzer is configured as follows:

Vertical Scale: 5 ohm / Div  
Offset: Default / Scroll  
Horizontal Scale: 500ps/ Div  
Record Length: 4000  
Averages:  $\geq 16$

### DSA8200 Measurement Setup




Figure 38

### Test Instruments

| <u>QTY</u> | <u>Description</u>                                      |
|------------|---|
| 1          | Tektronix DSA8200 Digital Serial Analyzer               |
| 2          | Tektronix 80E04 Dual Channel 20 GHz TDR Sampling Module |

### Test Cables & Adapters

| <u>QTY</u> | <u>Description</u>                        |
|------------|---|
| 2          | Samtec RF405-01SP1-01SP1-0305 (DC-20 GHz) |

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options


## Appendix E - Frequency and Time Domain Measurements

### Frequency (S-Parameter) Domain Procedures

The quality of any data taken with a network analyzer is directly related to the quality of the calibration standards and the use of proper test procedures. For this reason, extreme care is taken in the design of the calibration standards, the SI test boards, and the selection of the PCB vendor.

The measurement process begins with a measurement of the AFR calibration standards. A coaxial SOLT calibration is performed using an N4433A E-CAL module. This measurement is required in order to obtain precise values of the line standard offset delay and frequency bandwidths. Measurements of the 2x through line standard can be used to determine the maximum frequency for which the calibration standards are valid. For the HQDP test boards, this is greater than 20 GHz.

The figure below shows how the 2X THRU reference traces is utilized to compensate for the losses due to the coaxial test cables and the test fixture during testing. The calibration board is characterized to obtain parameters required to define the 2X THRU.



**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## **Time Domain Procedures**

Mathematically, Frequency Domain data can be transformed to obtain a Time Domain response. Perfect transformation requires Frequency Domain data from DC to infinity Hz. Fortunately, a very accurate Time Domain response can be obtained with bandwidth-limited data, such as measured with modern network analyzer.

The Time Domain responses were generated using Keysight ADS 2017 update 1. This tool has a transient convolution simulator, which can generate a Time Domain response directly from measured S-Parameters. An example of a similar methodology is provided in the Samtec Technical Note on domain transformation.

[http://suddendocs.samtec.com/notesandwhitepapers/tech-note\\_using-plts-for-time-domain-data\\_web.pdf](http://suddendocs.samtec.com/notesandwhitepapers/tech-note_using-plts-for-time-domain-data_web.pdf)

### Propagation Delay (TDT)

The Propagation Delay is a measure of the Time Domain delay through the cable assembly and footprint. A step pulse is applied to the touchstone model of the cable assembly and the transmitted voltage is monitored. The same pulse is also applied to a reference channel with zero loss, and the Time Domain pulses are plotted on the same figure. The difference in time, measured at the 50% point of the step voltage is the propagation delay.

### Impedance (TDR)

Measurements involving digital pulses are performed using either Time Domain Reflectometer (TDR) or Time Domain Transmission (TDT) methods. The TDR method is used for the impedance measurements in this report.

The signal line(s) of the SUT's is energized with a TDR pulse and the far-end of the energized signal line is terminated in the test systems characteristic impedance (e.g.; 50Ω or 100Ω terminations). By terminating the adjacent signal lines in the test systems characteristic impedance, the effects on the resultant impedance shape of the waveform is limited. The "best case" signal mapping was tested and is presented in this report.

**Series:** HQDP

**Description:** 0.50 mm Q Pairs® High Speed Twinax Cable Assembly, TTR-STL End Options

## Appendix F – Glossary of Terms

ADS – Keysight Advanced Design System

AFR – Automatic Fixture Removal

PCB – Printed Circuit Board

SUT – System Under Test

SOLT – acronym used to define Short, Open, Load & Thru Calibration Standards

TDR – Time Domain Reflectometry

TDT – Time Domain Transmission

XROW – Across Row